

TABULAR DESCRIPTION

PAYAR TRANSITION

NO	PATH DESCRIPTOR	WAYPOINT IDENTIFIER	FLY-OVER	COURSE/ °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	VPA/RDH	NAVIGATION SPECIFICATION
01	IF	PAYAR	-	-	-	-	+3500	-	-	RNP APCH
02	TF	OLTIP (IAF)	-	042°	6.0	-	+2500	-	-	RNP APCH
03	TF	KA502 (IF)	-	042°	3.0	-	+1700	-	-	RNP APCH
04	TF	KA501(FAF)	-	042°	2.4	-	+1700	-	-	RNP APCH
05	TF	RWY04 (MAPT)	Y	042°	5.1	-	-	-	3.0°/50FT	RNP APCH
06	TF	KA500	Y	042°	2.0	-	+500	-	-	RNP APCH
07	DF	BIDAL	-	-	-	L	+2500	- 200	-	RNP APCH
08	HM	BIDAL	Y	-	-	R	+2500	- 230	-	RNAV 1

ESMIR TRANSITION

NO	PATH DESCRIPTOR	WAYPOINT IDENTIFIER	FLY-OVER	COURSE/ °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	VPA/RDH	NAVIGATION SPECIFICATION
01	IF	ESMIR	-	-	-	-	+3500	-	-	RNP APCH
02	TF	OLTIP (IAF)	-	042°	5.0	-	+2500	-	-	RNP APCH
03	TF	KA502 (IF)	-	042°	3.0	L	+1700	-	-	RNP APCH
04	TF	KA501(FAF)	-	042°	2.4	-	+1700	-	-	RNP APCH
05	TF	RWY04 (MAPT)	Y	042°	5.1	-	-	-	3.0°/50FT	RNP APCH
06	TF	KA500	Y	042°	2.0	-	+500	-	-	RNP APCH
07	DF	BIDAL	-	-	-	L	+2500	- 200	-	RNP APCH
08	HM	BIDAL	Y	-	-	R	+2500	- 230	-	RNAV 1

BUVDU TRANSITION

NO	PATH DESCRIPTOR	WAYPOINT IDENTIFIER	FLY-OVER	COURSE/ °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	VPA/RDH	NAVIGATION SPECIFICATION
01	IF	BUVDU	-	-	-	-	+3500	-	-	RNP APCH
02	TF	OLTIP (IAF)	-	042°	5.0	-	+2500	-	-	RNP APCH
03	TF	KA502 (IF)	-	042°	3.0	R	+1700	-	-	RNP APCH
04	TF	KA501(FAF)	-	042°	2.4	-	+1700	-	-	RNP APCH
05	TF	RWY04 (MAPT)	Y	042°	5.1	-	-	-	3.0°/50FT	RNP APCH
06	TF	KA500	Y	042°	2.0	-	+500	-	-	RNP APCH
07	DF	BIDAL	-	-	-	L	+2500	- 200	-	RNP APCH
08	HM	BIDAL	Y	-	-	R	+2500	- 230	-	RNAV 1