

**STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE  
11 000 FT

**MIRI/MIRI (WBGR)  
RWY 02  
RNAV (GNSS)**

ASAKI 1A AROVU 1A BEVDO 1A  
BIPAS 1A DOXES 1A DUGEV 1A  
ESLAB 1A EXUGO 1A GODOM 1A

**TABULAR DESCRIPTION**

**ASAKI 1A DEPARTURE FOR ROUTE W442**

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	RWY02	-	025°	-	-	<u>1500</u>	-	-
020	DF	ASAKI	-	-	-	L	<u>7000</u>	-	RNAV1

**AROVU 1A DEPARTURE FOR ROUTE L517**

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	RWY02	-	025°	-	-	<u>1500</u>	-	-
020	DF	AROVU	-	-	-	L	<u>7000</u>	-	RNAV1

**BEVDO 1A DEPARTURE FOR ROUTE W455**

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	RWY02	-	025°	-	-	<u>1500</u>	-	-
020	DF	BEVDO	-	-	-	L	<u>7000</u>	-	RNAV1

**BIPAS 1A DEPARTURE FOR ROUTE G580 SOUTHBOUND**

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	RWY02	-	025°	-	-	<u>1500</u>	-	-
020	DF	BETNA	-	-	-	L	-	-	RNAV1
030	TF	BIPAS	-	230°	26.1	R	<u>7000</u>	-	RNAV1

**DOXES 1A DEPARTURE FOR ROUTE W422**

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	RWY02	-	025°	-	-	<u>1500</u>	-	-
020	DF	BETNA	-	-	-	L	-	-	RNAV1
030	TF	DOXES	-	211°	26.8	R	<u>7000</u>	-	RNAV1