

**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE
11 000 FT

**SEPANG/KL INTERNATIONAL
AIRPORT (WMKK)
RNP 1 (GNSS) RWY 33**

PUGER 1F BIKDU 1F SALAX 1F
IBUKU 1F PIBOS 1F MITOS 1F
ATIMU 1F KIMAT 3F RUSBU 1F

PIBOS ONE FOXTROT DEPARTURE (PIBOS 1F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK715	Y	326	-	1.1	-	+430	-	RNP 1
DF	KK716	-	-	-	-	L	-	-	RNP 1
TF	KK717	-	168	-	5.0	L	-	-	RNP 1
TF	KK718	-	084	-	6.1	L	+6000	-	RNP 1
TF	KK706	-	014	-	16.3	L	-	-	RNP 1
TF	KK705	-	014	-	13.1	-	-	-	RNP 1
TF	MAGIB	-	056	-	10.4	R	-	-	RNP 1
TF	PIBOS	-	054	-	8.5	-	-	-	RNP 1

KIMAT THREE FOXTROT DEPARTURE (KIMAT 3F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK715	Y	326	-	1.1	-	+430	-	RNP 1
DF	KK716	-	-	-	-	L	-	-	RNP 1
TF	KK717	-	168	-	5.0	L	-	-	RNP 1
TF	KK718	-	084	-	6.1	L	+6000	-	RNP 1
TF	KK706	-	014	-	16.3	L	-	-	RNP 1
TF	KK705	-	014	-	13.1	-	-	-	RNP 1
TF	MAGIB	-	056	-	10.4	R	-	-	RNP 1
TF	KIMAT	-	104	-	25.4	R	-	-	RNP 1

RUSBU ONE FOXTROT DEPARTURE (RUSBU 1F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK715	Y	326	-	1.1	-	+430	-	RNP 1
DF	KK716	-	-	-	-	L	-	-	RNP 1
TF	KK717	-	168	-	5.0	L	-	-	RNP 1
TF	KK712	-	180	-	3.0	-	-	-	RNP 1
TF	IDUMI	-	160	-	17.3	L	-	-	RNP 1
TF	OMBIR	-	135	-	26.7	L	-	-	RNP 1
TF	RUSBU	-	093	-	31.1	L	-	-	RNP 1