

## TABULAR DESCRIPTION

## PUGER TWO FOXTROT DEPARTURE (PUGER 2F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK743	-	326	-	7.5	-	-	-	RNP 1
TF	RUPDO	-	302	-	44.3	L	-	-	RNP 1
TF	PUGER	-	284	-	42.3	L	-	-	RNP 1

## IBUKU TWO FOXTROT DEPARTURE (IBUKU 2F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK743	-	326	-	7.5	-	-	-	RNP 1
TF	IBUKU	-	312	-	66.9	-	-	-	RNP 1

## ATIMU TWO FOXTROT DEPARTURE (ATIMU 2F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK743	-	326	-	7.5	-	-	-	RNP 1
TF	ATIMU	-	323	-	62.2	-	-	-	RNP 1

## BIKDU TWO FOXTROT DEPARTURE (BIKDU 2F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK743	-	326	-	7.5	-	-	-	RNP 1
TF	KK741	-	001	-	42.3	R	-	-	RNP 1
TF	BIKDU	-	325	-	21.3	L	-	-	RNP 1

## PIBOS TWO FOXTROT DEPARTURE (PIBOS 2F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK743	-	326	-	7.5	-	-	-	RNP 1
TF	KK740	-	056	-	10.2	R	+3000	-	RNP 1
TF	PIBOS	-	037	-	30.2	L	-	-	RNP 1

## KIMAT TWO FOXTROT DEPARTURE (KIMAT 2F)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK743	-	326	-	7.5	-	-	-	RNP 1
TF	KK740	-	056	-	10.2	R	+3000	-	RNP 1
TF	KIMAT	-	070	-	38.6	-	-	-	RNP 1