


**AERODROME GROUND  
MOVEMENT CHART - ICAO**

APRON ELEV  
17 M

ACD	120.45
SMC	121.9
TWR	118.2
APP	124.2, 118.65,
	135.25
FIS	126.1
ATIS	127.6

**SUBANG/SULTAN  
ABDUL AZIZ SHAH AIRPORT**

ELEV 21  
TDZ ELEV 21





ANNUAL RATE OF CHANGE - 0° 1' 18" W  
ELEVATIONS IN METRES  
BEARINGS ARE MAGNETIC

TAXIWAYS A, W AND S1 25 M WIDE  
TAXIWAYS C, D, E, F, G, K, R, S,  
AND T 23 M WIDE  
TAXIWAYS H, Y AND Z 26 M WIDE  
TAXIWAY J 38 M WIDE  
TAXIWAY L 27 M WIDE  
TAXIWAY M 24 M WIDE  
TAXIWAY N 29 M WIDE  
TAXIWAY P 48 M WIDE  
TAXIWAY Q 36 M WIDE  
TAXIWAY U 31 M WIDE  
TAXIWAY V 15 M WIDE  
TAXIWAY T1 44 M WIDE  
APRON TAXIWAY (MAIN APRON) 23 M WIDE

BEARING STRENGTH TWY A PCN 87/F/A/W/T  
BEARING STRENGTH TWY C AND E PCN 86/F/A/W/T  
BEARING STRENGTH TWY D, F, G, J AND K PCN 100/F/A/W/T  
BEARING STRENGTH TWY H PCN 55/F/D/W/T  
BEARING STRENGTH TWY N PCN 76/F/C/W/T  
BEARING STRENGTH TWY W PCN 90/F/A/W/T  
BEARING STRENGTH TWY P PCN 81/F/C/W/T  
BEARING STRENGTH TWY U PCN 81/R/B/W/T  
BEARING STRENGTH TWY R PCN 98/F/A/W/T  
BEARING STRENGTH TWY T PCN 96/F/A/W/T  
BEARING STRENGTH TWY L PCN 65/R/C/W/T  
BEARING STRENGTH TWY M PCN 97/R/B/W/T  
BEARING STRENGTH TWY Q PCN 95/R/C/W/T  
BEARING STRENGTH TWY S PCN 100/R/C/W/T  
BEARING STRENGTH TWY S1 PCN 83/R/C/W/T  
BEARING STRENGTH TWY V PCN 45/F/C/X/U  
BEARING STRENGTH APN TWY PCN 56/R/C/X/U

TAXIWAY EDGE LIGHTS ON A, C, E, H, K, N AND P CURVES

TAXIWAY CENTRE LINE LIGHTS ON A, C, E, F, G, H, K,  
N, W, P, S AND T



LEGEND	
CONCRETE STRUCTURE	
RUNWAY-HOLDING POSITION	
INTERMEDIATE HOLDING POSITION	
HELICOPTER PARKING AREA	
RUNWAY LIGHT	
TAXIWAY LIGHT	
CLOSED MARKING	

CHANGES: RENAMING TWY 'O' TO TWY 'W' FOR INFO TAXIWAY CENTRE LINE LIGHTS  
DELETE INFO TWY EDGE LIGHTS AT TWY S