

TABULAR DESCRIPTION

PAKTO TRANSITION

SERIAL NO	PATH TERM	ID	RF ARC CENTER	FLY OVER	WPT DESC	TRACK (M)/ DISTANCE (NM) OR COURSE/TIME	ARC DIRECTION	ALTITUDE (FT)	MAX IAS (KT)	VPA	RNP
001	IF	PAKTO	-	N	-	-	-	+ 5000	-	-	-
002	TF	ISVIL	-	N	IAF	090° / 6.1	-	+ 3500	-	-	2.0
003	TF	GR520	-	N	-	090° / 7.0	-	+ 2200	-	-	0.3
004	TF	GR516	-	N	IF	089° / 2.0	-	+ 2000	-230	-	0.3
005	RF	GR500	RGR08	N	-	3.1 RF / 1.7	L	+1400	-230	-	0.3
006	RF	ATNEL	RGR07	N	FAF	2.9 RF / 1.7	L	@1000	-230	-2.8	0.3

NONIS TRANSITION

SERIAL NO	PATH TERM	ID	RF ARC CENTER	FLY OVER	WPT DESC	TRACK (M)/ DISTANCE (NM) OR COURSE/TIME	ARC DIRECTION	ALTITUDE (FT)	MAX IAS (KT)	VPA	RNP
001	IF	NONIS	-	N	-	-	-	+ 4500	-	-	-
002	TF	SALAV	-	N	IAF	096° / 4.5	-	+ 3500	-	-	2.0
003	TF	GR519	-	N	-	096° / 7.7	-	+ 2200	-	-	0.3
004	TF	GR517	-	N	-	095° / 2.0	-	+ 2000	-230	-	0.3
005	RF	GR516	RGR08	N	IF	3.1 RF / 0.3	L	+ 2000	-230	-	0.3
006	RF	GR500	RGR08	N	-	3.1 RF / 1.7	L	+1400	-230	-	0.3
007	RF	ATNEL	RGR07	N	FAF	2.9 RF / 1.7	L	@1000	-230	-2.8	0.3

GUTOS TRANSITION

SERIAL NO	PATH TERM	ID	RF ARC CENTER	FLY OVER	WPT DESC	TRACK (M)/ DISTANCE (NM) OR COURSE/TIME	ARC DIRECTION	ALTITUDE (FT)	MAX IAS (KT)	VPA	RNP
001	IF	GUTOS	-	N	-	-	-	+ 7000	-	-	-
002	TF	LUVSA	-	N	IAF	234° / 24.2	-	+ 3000	-	-	2.0
003	TF	GR507	-	N	IF	233° / 5.9	-	+ 3000	-220	-	0.3
004	RF	GR506	RGR09	N	-	2.8 RF / 7.4	R	+ 1700	-220	-	0.3
005	TF	ATNEL	-	N	FAF	025° / 2.7	-	@1000	-230	-2.8	0.3

OMDIK TRANSITION

SERIAL NO	PATH TERM	ID	RF ARC CENTER	FLY OVER	WPT DESC	TRACK (M)/ DISTANCE (NM) OR COURSE/TIME	ARC DIRECTION	ALTITUDE (FT)	MAX IAS (KT)	VPA	RNP
001	IF	OMDIK	-	N	IAF	-	-	+ 5000	-	-	-
002	TF	GR518	-	N	IF	058° / 12.4	-	+ 2200	-	-	0.3
003	TF	GR500	-	N	-	058° / 4.0	-	+ 1400	-230	-	0.3
004	RF	ATNEL	RGR07	N	FAF	2.9 RF / 1.7	L	@1000	-230	-2.8	0.3

FINAL AND MISSED APPROACH

SERIAL NO	PATH TERM	ID	RF ARC CENTER	FLY OVER	WPT DESC	TRACK (M)/ DISTANCE (NM) OR COURSE/TIME	ARC DIRECTION	ALTITUDE (FT)	MAX IAS (KT)	VPA	RNP
001	IF	ATNEL	-	N	FAF	-	-	@1000	-	-	-
002	TF	RWY02	-	Y	-	025° / 3.0	-	@111	-	-2.8	0.3
003	TF	GR508	-	N	-	025° / 6.0	-	-	-	-	1.0
004	RF	GR509	RGR10	N	-	3.0 RF / 8.7	R	-	-230	-	1.0
005	TF	LUVSA	-	N	-	190° / 8.8	-	+3000	-	-	1.0