

**STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO**

MALACCA/MALACCA (WMKM)

RNAV (GNSS) RWY21

TRANSITION ALTITUDE
11 000 FT

AKRUL 1T
VELTU 1T

GUPTA 1T
DUMOK 1T

DOSIK 1T
INTUR 1T

TABULAR DESCRIPTION

AKRUL ONE TANGO ARRIVAL (AKRUL 1T)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK (°M)	DISTANCE NM	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	NAVIGATION SPECIFICATION
IF	AKRUL	-	-	-	-	+7000	-	-	RNAV 1
TF	RIBDI	-	257°	18.9	-	+5000	-	-	RNAV 1
TF	KM506	-	311°	5.3	R	+5000	-	-	RNAV 1
TF	KM508	-	311°	5.9	-	+3300	-	-	RNAV 1
TF	NIVOB	-	300°	5.8	-	+2100	-	-	RNP APCH

GUPTA ONE TANGO ARRIVAL (GUPTA 1T)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK (°M)	DISTANCE NM	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	NAVIGATION SPECIFICATION
IF	GUPTA	-	-	-	-	+7000	-	-	RNAV 1
TF	RIBDI	-	311°	6.5	-	+5000	-	-	RNAV 1
TF	KM506	-	311°	5.3	-	+5000	-	-	RNAV 1
TF	KM508	-	311°	5.9	-	+3300	-	-	RNAV 1
TF	NIVOB	-	300°	5.8	-	+2100	-	-	RNP APCH

DOSIK ONE TANGO ARRIVAL (DOSIK 1T)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK (°M)	DISTANCE NM	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	NAVIGATION SPECIFICATION
IF	DOSIK	-	-	-	-	+6500	-	-	RNAV 1
TF	KM501	-	008°	26.2	-	+5500	-	-	RNAV 1
TF	BEMSU	-	030°	7.2	R	+5000	-	-	RNAV 1
TF	KM507	-	030°	10.6	-	+3300	-	-	RNAV 1
TF	NIVOB	-	120°	5.8	R	+2100	-	-	RNP APCH

VELTU ONE TANGO ARRIVAL (VELTU 1T)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK (°M)	DISTANCE NM	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	NAVIGATION SPECIFICATION
IF	VELTU	-	-	-	-	+5500	-	-	RNAV 1
TF	BEMSU	-	081°	12.4	-	+5000	-	-	RNAV 1
TF	KM507	-	030°	10.6	L	+3300	-	-	RNAV 1
TF	NIVOB	-	120°	5.8	R	+2100	-	-	RNP APCH