

STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO

TRANSITION ALTITUDE
11 000FT

TOSOD 1K ADGAB 1K BASUV 1K
NOLUS 1K PILAX 1K

TABULAR DESCRIPTION

TOSOD ONE KILO DEPARTURE (TOSOD 1K) TO AIRWAY G580 (NORTHBOUND)

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	-	N	326°	-	-	+1000	-	RNAV 1
020	DF	GK364	N	-	-	R	+2000	-	RNAV 1
030	TF	GK366	N	081°	7.8	-	+5000	-	RNAV 1
040	TF	TOSOD	N	056°	8.5	L	+7000	-	RNAV 1

ADGAB ONE KILO DEPARTURE (ADGAB 1K) TO AIRWAY W447

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	-	N	326°	-	-	+1000	-	RNAV 1
020	DF	GK364	N	-	-	R	+2000	-	RNAV 1
030	TF	GK366	N	081°	7.8	-	+5000	-	RNAV 1
040	TF	GK368	N	082°	9.1	-	+7000	-	RNAV 1
050	TF	ADGAB	N	082°	11.3	-	+7000	-	RNAV 1

BASUV ONE KILO DEPARTURE (BASUV 1K) TO AIRWAY G460

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	-	N	326°	-	-	+1000	-	RNAV 1
020	DF	GK364	N	-	-	R	+2000	-	RNAV 1
030	TF	GK378	N	113°	22.8	R	+7000	-	RNAV 1
040	TF	BASUV	N	092°	13.2	L	+7000	-	RNAV 1

NOLUS ONE KILO DEPARTURE (NOLUS 1K) TO AIRWAY W456

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	-	N	326°	-	-	+1000	-	RNAV 1
020	DF	GK365	N	-	-	L	+2000	-	RNAV 1
030	TF	NOLUS	N	157°	19.3	L	+5000	-	RNAV 1

PILAX ONE KILO DEPARTURE (PILAX 1K) TO AIRWAY G580 (SOUTHBOUND)

NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/TRACK °M	DISTANCE (NM)	TURN DIRECTION	ALTITUDE CONSTRAINT	SPEED LIMIT (KT)	NAV SPEC
010	CA	-	N	326°	-	-	+1000	-	RNAV 1
020	DF	GK365	N	-	-	L	+2000	-	RNAV 1
030	TF	GK377	N	206°	13.0	L	+5000	-	RNAV 1
040	TF	PILAX	N	228°	32.9	R	+7000	-	RNAV 1