

**AERODROME/HELIPORT
CHART - ICAO**

06° 20' 22" N
99° 44' 01" E

ELEV 7M


APP 119.4, 121.5
TWR 118.5
SMC 121.8
ATIS 128.2

**LANGKAWI/LANGKAWI
INTERNATIONAL AIRPORT**

RWY	DIRECTION	THR	BEARING STRENGTH
03	034°	06° 19' 12.41" N 99° 43' 19.27" E	PCN 89/F/A/W/T ASPHALT
21	214°	06° 20' 38.46" N 99° 44' 18.07" E	




ANNUAL RATE OF CHANGE -0° 1' 20"E
ELEVATIONS AND DIMENSIONS IN METRES
BEARINGS ARE MAGNETIC



TAXIWAYS A, B AND C 23 M WIDE
APRON TAXIWAY B1 22 M WIDE
AIRCRAFT STAND TAXILANE C1 22 M WIDE

BEARING STRENGTH TWY A AND C PCN 100/F/A/W/T
BEARING STRENGTH TWY B PCN 93/F/B/W/T
BEARING STRENGTH APN TWY B1 PCN 100/R/C/W/T
BEARING STRENGTH AIRCRAFT STAND TAXILANE C1 PCN 75/R/C/W/T



LEGEND	
CONCRETE STRUCTURE	⊠

CHANGES: CHANGE PATTERN OF APPROACH LIGHT
ADJUST BAR SCALE
CHANGE INFO ON APP FREQUENCY
CHANGE INFO ON RUNWAY DIRECTION (MAGNETIC BEARING)
CHANGE INFO ON MEHT VALUE
CHANGE INFO ON AERODROME ELEVATION