

**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE
11000 FT

**SEPANG/KL INTERNATIONAL
AIRPORT (WMKK)
RNP 1 (GNSS) RWY 14L**

PUGER 2A BIKDU 2A SALAX 2A
IBUKU 2A PIBOS 2A MITOS 2A
ATIMU 2A KIMAT 2A RUSBU 2A

TABULAR DESCRIPTION

PUGER TWO ALPHA DEPARTURE (PUGER 2A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK732	-	146	-	8.0	-	-	-	RNP 1
TF	KK731	-	227	-	10.5	R	-	-	RNP 1
TF	PUGER	-	303	-	97.8	R	-	-	RNP 1

IBUKU TWO ALPHA DEPARTURE (IBUKU 2A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK732	-	146	-	8.0	-	-	-	RNP 1
TF	KK731	-	227	-	10.5	R	-	-	RNP 1
TF	KK730	-	322	-	31.2	R	+9000	-	RNP 1
TF	IBUKU	-	320	-	52.3	-	-	-	RNP 1

ATIMU TWO ALPHA DEPARTURE (ATIMU 2A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK732	-	146	-	8.0	-	-	-	RNP 1
TF	KK731	-	227	-	10.5	R	-	-	RNP 1
TF	KK730	-	322	-	31.2	R	+9000	-	RNP 1
TF	ATIMU	-	334	-	49.5	-	-	-	RNP 1

BIKDU TWO ALPHA DEPARTURE (BIKDU 2A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK732	-	146	-	8.0	-	-	-	RNP 1
TF	KK733	-	068	-	7.8	L	+3000	-	RNP 1
TF	EGURI	-	344	-	10.7	L	+5000	-	RNP 1
TF	BIKDU	-	335	-	64.7	-	-	-	RNP 1

PIBOS TWO ALPHA DEPARTURE (PIBOS 2A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK732	-	146	-	8.0	-	-	-	RNP 1
TF	KK733	-	068	-	7.8	L	+3000	-	RNP 1
TF	PIBOS	-	012	-	40.0	L	-	-	RNP 1