

**AERODROME/HELIPORT
CHART - ICAO**

03° 46' 11" N
103° 12' 34" E

ELEV 17 M


TWR 118.1, 238.1
GND 263.9, 120.4
APP 119.7, 121.5
ATIS 127.5, 253.8
SRA 261.6, 118.7

**KUANTAN/
SULTAN AHMAD SHAH**


RWY	DIRECTION	THR	BEARING STRENGTH
18	183°	03° 47' 15.32" N 103° 12' 34.65" E	PCN 50/F/A/W/T ASPHALT
36	03°	03° 45' 46.15" N 103° 12' 29.80" E	

SIMPLE APPROACH
LIGHTING SYSTEM

ILS/LOC
IKN 109.5



TERMINAL




ANNUAL RATE OF CHANGE -0° 1' 42"W
ELEVATIONS AND DIMENSIONS
IN METRES
BEARING ARE MAGNETIC

TAXIWAY H 23 M WIDE (CIVIL)
AIRCRAFT STAND TAXILANE 27 M

BEARING STRENGTH TWY H PCN 51/F/C/X/U
BEARING STRENGTH AIRCRAFT STAND TAXILANE PCN 51/F/C/X/U

PRECISION APPROACH CAT 1
LIGHTING SYSTEM



LEGEND	
CONCRETE STRUCTURE	☒

CHANGES: INFORMATION ON AIRCRAFT STAND TAXILANE