

**TABULAR DESCRIPTION**

**GUGIT ONE BRAVO DEPARTURE (GUGIT 1B)**

SERIAL NO.	PATH TERMINATOR	WAYPOINT NAME	FLY OVER	COURSE °M	DIST (NM)	TURN DIR.	LEVEL CONSTRAINT (FT)	SPEED LIMIT (KT)	PDG (%)	NAVIGATION SPECIFICATION
1	VA	-	-	280°	-	-	+1000	-	5.2	RNAV 1
2	DF	BIXOR	-	-	-	L	+5000	-	5.2	RNAV 1
3	TF	GUGIT	-	142°	34.6	L	+11000	-	3.3	RNAV 1

**RUPOS ONE BRAVO DEPARTURE (RUPOS 1B)**

SERIAL NO.	PATH TERMINATOR	WAYPOINT NAME	FLY OVER	COURSE °M	DIST (NM)	TURN DIR.	LEVEL CONSTRAINT (FT)	SPEED LIMIT (KT)	PDG (%)	NAVIGATION SPECIFICATION
1	VA	-	-	280°	-	-	+1000	-	5.2	RNAV 1
2	DF	BIXOR	-	-	-	L	+5000	-	5.2	RNAV 1
3	TF	RUPOS	-	180°	27.6	-	+11000	-	3.3	RNAV 1

**OPOMO ONE BRAVO DEPARTURE (OPOMO 1B)**

SERIAL NO.	PATH TERMINATOR	WAYPOINT NAME	FLY OVER	COURSE °M	DIST (NM)	TURN DIR.	LEVEL CONSTRAINT (FT)	SPEED LIMIT (KT)	PDG (%)	NAVIGATION SPECIFICATION
1	VA	-	-	280°	-	-	+1000	-	5.2	RNAV 1
2	DF	NISED	-	-	-	L	+5000	-	5.2	RNAV 1
3	TF	OPOMO	-	202°	27.1	-	+11000	-	3.6	RNAV 1

**DUBMU ONE BRAVO DEPARTURE (DUBMU 1B)**

SERIAL NO.	PATH TERMINATOR	WAYPOINT NAME	FLY OVER	COURSE °M	DIST (NM)	TURN DIR.	LEVEL CONSTRAINT (FT)	SPEED LIMIT (KT)	PDG (%)	NAVIGATION SPECIFICATION
1	VA	-	-	280°	-	-	+1000	-	5.2	RNAV 1
2	DF	BIXOR	-	-	-	L	+5000	-	5.2	RNAV 1
3	TF	DUBMU	-	165°	31.1	-	+11000	-	3.3	RNAV 1