

**STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**TRANSITION ALTITUDE  
11000 FT**SEPANG/KL INTERNATIONAL  
AIRPORT (WMKK)  
RNAV (GNSS) RWY 32L**PUGER 1E BIKDU 1E SALAX 1E  
IBUKU 1E PIBOS 1E MITOS 1E  
ATIMU 1E KIMAT 1E RUSBU 1E**IBUKU ONE ECHO DEPARTURE (IBUKU 1E)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK707	Y	326	-	1.1		-	-	RNP 1
TF	KK708	-	310	-	10.4	-	-	-	RNP 1
TF	GUTIK	-	324	-	19.8	R	-	-	RNP 1
TF	IBUKU	-	308	-	44.2	L	-	-	RNP 1

**PUGER ONE ECHO DEPARTURE (PUGER 1E)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK707	Y	326	-	1.1		-	-	RNP 1
TF	KK708	-	310	-	10.4	-	-	-	RNP 1
TF	GUTIK	-	324	-	19.8	R	-	-	RNP 1
TF	RUPDO	-	284	-	23.6	L	-	-	RNP 1
TF	PUGER	-	284	-	42.4	-	-	-	RNP 1

**ATIMU ONE ECHO DEPARTURE (ATIMU 1E)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK707	Y	326	-	1.1		-	-	RNP 1
TF	KK708	-	310	-	10.4	-	-	-	RNP 1
TF	GUTIK	-	324	-	19.8	R	-	-	RNP 1
TF	ATIMU	-	324	-	39.1	-	-	-	RNP 1

**BIKDU ONE ECHO DEPARTURE (BIKDU 1E)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK707	Y	326	-	1.1		-	-	RNP 1
TF	KK708	-	310	-	10.4	-	-	-	RNP 1
TF	GUTIK	-	324	-	19.8	R	-	-	RNP 1
TF	BIKDU	-	005	-	42.1	R	-	-	RNP 1

CHANGES: CHANGE DISTANCE FOR PUGER.