

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 23 FT
HEIGHTS RELATED TO DISP
THR RWY 03 - ELEV 16 FT

**LANGKAWI/LANGKAWI
INTERNATIONAL AIRPORT (WMKL)**

RNP Y RWY 03

IAF AT AGTOV

SEQUEL NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/ TRACK (°M)	DISTANCE (NM)	ALTITUDE (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	VPA/ TCH	NAVIGATION SPECIFICATION
1	IF	AGTOV	-	-		+3000	-	-	-	RNAV 1
2	TF	IBIRO (IF)	-	104°	5.0	+2100	-	-	-	RNP APCH
3	TF	KL501 (FAF)	-	034°	3.0	-	-	-	-	RNP APCH
4	TF	RWY03	Y	034°	6.8	-	-	-	2.8° /50	RNP APCH
5	DF	GUDNO	-	-	-	-	185	-	-	RNP APCH
6	TF	SATNI	-	207°	9.5	+3000	-	-	-	RNP APCH

IAF AT DAKOV

SEQUEL NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/ TRACK (°M)	DISTANCE (NM)	ALTITUDE (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	VPA/ TCH	NAVIGATION SPECIFICATION
1	IF	DAKOV	-	-		+3000	-	-	-	RNAV 1
2	TF	IBIRO (IF)	-	033°	7.4	+2100	-	-	-	RNP APCH
3	TF	KL501 (FAF)	-	034°	3.0	-	-	-	-	RNP APCH
4	TF	RWY03	Y	034°	6.8	-	-	-	2.8° /50	RNP APCH
5	DF	GUDNO	-	-	-	-	185	-	-	RNP APCH
6	TF	SATNI	-	207°	9.5	+3000	-	-	-	RNP APCH

IAF AT RIGSU

SEQUEL NO.	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE/ TRACK (°M)	DISTANCE (NM)	ALTITUDE (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAIDS	VPA/ TCH	NAVIGATION SPECIFICATION
1	IF	RIGSU	-	-		+3000	-	-	-	RNAV 1
2	TF	IBIRO (IF)	-	324°	5.0	+2100	-	-	-	RNP APCH
3	TF	KL501 (FAF)	-	034°	3.0	-	-	-	-	RNP APCH
4	TF	RWY03	Y	034°	6.8	-	-	-	2.8° /50	RNP APCH
5	DF	GUDNO	-	-	-	-	185	-	-	RNP APCH
6	TF	SATNI	-	207°	9.5	+3000	-	-	-	RNP APCH

CHANGES : AERODROME ELEVATION