

**STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE  
11000 FT

**SEPANG/KL INTERNATIONAL  
AIRPORT (WMKK)  
RNAV (GNSS) RWY 14L**

PUGER 1A BIKDU 1A SALAX 1A  
IBUKU 1A PIBOS 1A MITOS 1A  
ATIMU 1A KIMAT 1A RUSBU 1A

**TABULAR DESCRIPTION**

**RUSBU ONE ALPHA DEPARTURE (RUSBU 1A)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK726	-	117	-	4.9	-	-	-	RNP 1
TF	PATPI	-	137	-	10.5	R	-	-	RNP 1
TF	RUSBU	-	137	-	36.9	-	-	-	RNP 1

**MITOS ONE ALPHA DEPARTURE (MITOS 1A)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK726	-	117	-	4.9	-	-	-	RNP 1
TF	PATPI	-	137	-	10.5	R	-	-	RNP 1
TF	MITOS	-	179	-	29.8	R	-	-	RNP 1

**SALAX ONE ALPHA DEPARTURE (SALAX 1A)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK726	-	117	-	4.9	-	-	-	RNP 1
TF	PATPI	-	137	-	10.5	R	-	-	RNP 1
TF	DUMOX	-	207	-	11.8	R	-	-	RNP 1
TF	SALAX	-	258	-	27.1	R	-	-	RNP 1

**PUGER ONE ALPHA DEPARTURE (PUGER 1A)**

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK725	-	037	-	6.0	L	-	-	RNP 1
TF	KAPLU	-	329	-	25.9	L	-	-	RNP 1
TF	RUPDO	-	281	-	46.4	L	-	-	RNP 1
TF	PUGER	-	284	-	42.4	-	-	-	RNP 1

CHANGES: CHANGE DISTANCE FROM RUPDO TO PUGER.