


**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 56 FT
HEIGHT RELATED TO
THR RWY 06 - ELEV 53 FT

APP 123.55
TWR 122.50
SMC 121.90
ATIS 126.25

TAWAU/TAWAU (WBKW)

RNP Z RWY 06 (AR)




VPA 2.8°
RDH 54FT

MISSED APPROACH

CLIMB TO 2500 FT VIA THE RNP MISSED APPROACH
TRACK TO ABVEN OR AS DIRECTED BY ATC.

TRANSITION LEVEL FL130
TRANSITION ALT 11000 FT

VSS PENETRATIONS 500 M
PRIOR TO THR



STRAIGHT-IN APPROACH	OCA (OCH)		GROUND SPEED - KT	70	90	100	120	140	160
CATEGORY OF AIRCRAFT	C	D	RATE OF DESCENT (2.8°) (FT/MIN)	347	446	495	594	693	792
RNP 0.3	555 (502)		DISTANCE TO THRESHOLD (NM)	2.7	2	1			
CIRCLING AND ALTERNATE N/A			ALTITUDE (FT)	900	670	370			

1. AUTHORIZATION REQUIRED
2. GNSS REQUIRED
3. RF REQUIRED
4. APPROACH NOT AUTHORIZED WHEN AIRPORT TEMPERATURE BELOW 18°C OR ABOVE 39°C.
5. WBKW ALTIMETER SETTING REQUIRED.
6. PAPI AND VERTICAL PATH ANGLE NOT COINCIDENT.
7. RNP 0.3 REQUIRED FROM IAF'S TO FAF.

CHANGES : CHART IDENTIFICATION