

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAOTRANSITION ALTITUDE
11000 FTSEPANG/KL INTERNATIONAL
AIRPORT (WMKK)
RNAV (GNSS) RWY 14L, 14R, 15PUGER 1K KAKAK 1K PMS NORTH
NIREN 1K PULIP 1K SAROX 1K
GUPTA 1K
SALAX 1K

PULIP ONE KILO ARRIVAL (PULIP 1K)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	PULIP	-	-	-	-	-	-	-	RNP 1
TF	DAKBA	-	245	-	31.0	-	-	-	RNP 1
TF	RIKMI	-	245	-	10.3	-	+10000	@230	RNP 1
TF	KK831	-	226	-	5.2	L	-	-	RNP 1
TF	KK832	-	206	-	5.2	L	-	-	RNP 1
TF	KK833	-	186	-	5.2	L	-	-	RNP 1
TF	KK834	-	166	-	5.2	L	-	@230	RNP 1
TF	NUPKU	-	066	-	15.0	L	+5000	@210	RNP 1

SAROX ONE KILO ARRIVAL (SAROX 1K)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	SAROX	-	-	-	-	-	-	-	RNP 1
TF	AKNOR	-	275	-	41.3	-	-	-	RNP 1
TF	DAKBA	-	317	-	48.7	R	-	-	RNP 1
TF	RIKMI	-	245	-	10.3	L	+10000	@230	RNP 1
TF	KK831	-	226	-	5.2	L	-	-	RNP 1
TF	KK832	-	206	-	5.2	L	-	-	RNP 1
TF	KK833	-	186	-	5.2	L	-	-	RNP 1
TF	KK834	-	166	-	5.2	L	-	@230	RNP 1
TF	NUPKU	-	066	-	15.0	L	+5000	@210	RNP 1

GUPTA ONE KILO ARRIVAL (GUPTA 1K)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	GUPTA	-	-	-	-	-	-	-	RNP 1
TF	AKNOR	-	317	-	57.3	-	-	-	RNP 1
TF	DAKBA	-	317	-	48.7	-	-	-	RNP 1
TF	RIKMI	-	245	-	10.3	L	+10000	@230	RNP 1
TF	KK831	-	226	-	5.2	L	-	-	RNP 1
TF	KK832	-	206	-	5.2	L	-	-	RNP 1
TF	KK833	-	186	-	5.2	L	-	-	RNP 1
TF	KK834	-	166	-	5.2	L	-	@230	RNP 1
TF	NUPKU	-	066	-	15.0	L	+5000	@210	RNP 1

CHANGES: TURN DIRECTION FOR DAKBA.