

**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE
11000 FT

**SEPANG/KL INTERNATIONAL
AIRPORT (WMKK)
RNAV (GNSS) RWY 14L**

PUGER 1A BIKDU 1A SALAX 1A
IBUKU 1A PIBOS 1A MITOS 1A
ATIMU 1A KIMAT 1A RUSBU 1A

TABULAR DESCRIPTION

RUSBU ONE ALPHA DEPARTURE (RUSBU 1A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK726	-	117	-	4.9	-	-	-	RNP 1
TF	PATPI	-	137	-	10.5	R	-	-	RNP 1
TF	RUSBU	-	137	-	36.9	-	-	-	RNP 1

MITOS ONE ALPHA DEPARTURE (MITOS 1A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK726	-	117	-	4.9	-	-	-	RNP 1
TF	PATPI	-	137	-	10.5	R	-	-	RNP 1
TF	MITOS	-	179	-	29.8	R	-	-	RNP 1

SALAX ONE ALPHA DEPARTURE (SALAX 1A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK726	-	117	-	4.9	-	-	-	RNP 1
TF	PATPI	-	137	-	10.5	R	-	-	RNP 1
TF	DUMOX	-	207	-	11.8	R	-	-	RNP 1
TF	SALAX	-	258	-	27.1	R	-	-	RNP 1

PUGER ONE ALPHA DEPARTURE (PUGER 1A)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK723	Y	146	-	1.7	-	-	-	RNP 1
TF	KK724	-	117	-	11.0	-	-	-	RNP 1
TF	KK725	-	037	-	6.0	L	-	-	RNP 1
TF	KAPLU	-	329	-	25.9	L	-	-	RNP 1
TF	RUPDO	-	281	-	46.4	L	-	-	RNP 1
TF	PUGER	-	284	-	42.4	-	-	-	RNP 1

CHANGES: CHANGE DISTANCE FROM RUPDO TO PUGER.