

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

BINTULU/BINTULU (WBGB)
ARRIVALS RWY 35 (RNP 1)

TRANSITION ALTITUDE
11 000 FT

ADGAB 3B EKETO 3B
BASUV 3B DUNAS 3B
BENLI 3B NOKER 3B

TABULAR DESCRIPTION

ADGAB 3B

SERIAL NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M(°T)	DISTANCE (NM)	TURN DIRECTION	ALT (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAID	VPA/TCH	NAGIGATION SPECIFICATION
010	IF	ADGAB	-	-	-	-	+9000	-	-	-	RNP 1
020	TF	SUKOD	-	128.0°(128.5°)	20.4	-	+5500	-	-	-	RNP 1
030	TF	BUDVA	-	090°(90.4°)	7.6	L	+3200	250	-	-	RNP 1
040	TF	IBEMA	-	057°(057.6°)	5.0	L	+2000	220	-	-	RNP 1

BASUV 3B

SERIAL NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M(°T)	DISTANCE (NM)	TURN DIRECTION	ALT (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAID	VPA/TCH	NAGIGATION SPECIFICATION
010	IF	BASUV	-	-	-	-	+7000	-	-	-	RNP 1
020	TF	SUKOD	-	086.3°(086.8°)	9.8	-	+5500	250	-	-	RNP 1
030	TF	BADVA	-	090°(90.4°)	7.6	-	+3200	250	-	-	RNP 1
040	TF	IBEMA	-	057°(057.6°)	5.0	L	+2000	220	-	-	RNP 1

BENLI 3B

SERIAL NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M(°T)	DISTANCE (NM)	TURN DIRECTION	ALT (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAID	VPA/TCH	NAGIGATION SPECIFICATION
010	IF	BENLI	-	-	-	-	+7000	-	-	-	RNP 1
020	TF	SUKOD	-	028.3°(028.8°)	6.6	-	+5500	250	-	-	RNP 1
030	TF	BUDVA	-	090°(90.4°)	7.6	-	+3200	250	-	-	RNP 1
040	TF	IBEMA	-	057°(057.6°)	5.0	L	+2000	220	-	-	RNP 1

NOKER 3B

SERIAL NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M(°T)	DISTANCE (NM)	TURN DIRECTION	ALT (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAID	VPA/TCH	NAGIGATION SPECIFICATION
010	IF	NOKER	-	-	-	-	+10000	-	-	-	RNP 1
020	TF	KASPA	-	243.5°(244.0°)	15.0	-	+7000	250	-	-	RNP 1
030	TF	AVLER	-	182.7°(183.2°)	18.6	L	+3200	250	-	-	RNP 1
040	TF	IBEMA	-	277.1°(277.6°)	5.0	R	+2000	220	-	-	RNP 1

EKETO 3B

SERIAL NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M(°T)	DISTANCE (NM)	TURN DIRECTION	ALT (FT)	SPEED LIMIT (KT)	RECOMMENDED NAVAID	VPA/TCH	NAGIGATION SPECIFICATION
010	IF	EKETO	-	-	-	-	+11000	-	-	-	RNP 1
020	TF	KASPA	-	205.2°(205.6°)	16.4	-	+7000	250	-	-	RNP 1
030	TF	AVLER	-	182.7°(183.2°)	18.6	L	+3200	250	-	-	RNP 1
040	TF	IBEMA	-	277.1°(277.6°)	5.0	R	+2000	220	-	-	RNP 1