

**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE
11000 FT

**SEPANG/KL INTERNATIONAL
AIRPORT (WMKK)
RNP 1 (GNSS) RWY 14R**

PUGER 2B BIKDU 2B SALAX 2B
IBUKU 2B PIBOS 2B MITOS 2B
ATIMU 2B KIMAT 2B RUSBU 2B

TABULAR DESCRIPTION

PUGER TWO BRAVO DEPARTURE (PUGER 2B)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK734	-	146	-	7.2	-	-	-	RNP 1
TF	KK731	-	236	-	9.0	R	-	-	RNP 1
TF	PUGER	-	303	-	97.8	R	-	-	RNP 1

IBUKU TWO BRAVO DEPARTURE (IBUKU 2B)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK734	-	146	-	7.2	-	-	-	RNP 1
TF	KK731	-	236	-	9.0	R	-	-	RNP 1
TF	KK730	-	322	-	31.2	R	+9000	-	RNP 1
TF	IBUKU	-	320	-	52.3	-	-	-	RNP 1

ATIMU TWO BRAVO DEPARTURE (ATIMU 2B)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK734	-	146	-	7.2	-	-	-	RNP 1
TF	KK731	-	236	-	9.0	R	-	-	RNP 1
TF	KK730	-	322	-	31.2	R	+9000	-	RNP 1
TF	ATIMU	-	334	-	49.5	-	-	-	RNP 1

BIKDU TWO BRAVO DEPARTURE (BIKDU 2B)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK734	-	146	-	7.2	-	-	-	RNP 1
TF	KK733	-	056	-	9.0	L	+3000	-	RNP 1
TF	EGURI	-	344	-	10.7	L	+5000	-	RNP 1
TF	BIKDU	-	335	-	64.7	-	-	-	RNP 1

PIBOS TWO BRAVO DEPARTURE (PIBOS 2B)

PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE °M	MAGNETIC VARIATION	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
CF	KK734	-	146	-	7.2	-	-	-	RNP 1
TF	KK733	-	056	-	9.0	L	+3000	-	RNP 1
TF	PIBOS	-	012	-	40.0	L	-	-	RNP 1

CHANGES : NEW CHART.