

**INSTRUMENT  
APPROACH  
CHART - ICAO**

AERODROME ELEV 43FT  
HEIGHT RELATED TO  
THR RWY 08 - ELEV 32FT

**SANDAKAN/SANDAKAN (WBKS)  
RNP Y RWY 08**

**TABULAR DESCRIPTION**

**RILMI TRANSITION**

SEQ	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KIAS)	VPA/RDH (FT.)	NAVIGATION SPECIFICATION
010	IF	RILMI (IAF)	-	-	-	-	+3000	-	-	RNP APCH
020	TF	TEBOS (IF)	-	151°	5.0	-	+1700	-	-	RNP APCH

**ROZAX TRANSITION**

SEQ	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KIAS)	VPA/RDH (FT.)	NAVIGATION SPECIFICATION
010	IF	ROZAX (IAF)	-	-	-	-	+3000	-	-	RNP APCH
020	TF	TEBOS (IF)	-	081°	5.0	-	+1700	-	-	RNP APCH

**DADAB TRANSITION**

SEQ	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KIAS)	VPA/RDH (FT.)	NAVIGATION SPECIFICATION
010	IF	DADAB (IAF)	-	-	-	-	+3000	-	-	RNP APCH
020	TF	TEBOS (IF)	-	011°	5.0	-	+1700	-	-	RNP APCH

**FINAL AND MISSED APPROACH**

SEQ	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KIAS)	VPA/RDH (FT.)	NAVIGATION SPECIFICATION
010	TF	TEBOS (IF)	-	-	-	-	+1700	-	-	RNP APCH
020	TF	KS800 (FAF)	-	081°	5.0	-	+1700	-	-	RNP APCH
030	TF	RWY08	Y	081°	5.1	-	-	-	-3.0°/51	RNP APCH
040	CA	-	-	081°	-	-	+1400	-	2.5%	RNP APCH
050	DF	BIMIT	-	-	-	-	+3000	-	-	RNP APCH
060	HM	BIMIT	Y	282°	-	L	+3000	-230	-	RNAV 1

CHANGES : IN TABULAR DESCRIPTION FINAL AND MISSED APPROACH LINE 4  
COLUMN 10 VPA RDH (FT.) VALUE 50 TO READ AS 51.