

**STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO**

TRANSITION ALTITUDE 11000 FT
---------------------------------

**SIBU/SIBU (WBGS)  
RNAV (GNSS) RWY 31**  
NOLUS 1G REDUK 1G LENTU 1G  
ELNAL 1G BIPIB 1G ANKUP 1G  
PILAX 1G

**TABULAR DESCRIPTIONS**

**NOLUS ONE GOLF ARRIVAL (NOLUS 1G)**

PATH TERMINATOR		FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	NOLUS	-	-	-	-	+5000	-	-
TF	RENIB (IAF)	-	156	25.2	-	+3000	-	RNAV 1
TF	SUGSI (IF)	-	220	5.0	R	+2500	-	RNP APCH

**REDUK ONE GOLF ARRIVAL (REDUK 1G)**

PATH TERMINATOR		FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	REDUK	-	-	-	-	+7000	-	-
TF	TAMIG	-	229	13.1	-	+5000	-	RNAV 1
TF	RENIB (IAF)	-	205	25.6	L	+3000	-	RNAV 1
TF	SUGSI (IF)	-	220	5.0	R	+2500	-	RNP APCH

**LENTU ONE GOLF ARRIVAL (LENTU 1G)**

PATH TERMINATOR		FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	LENTU	-	-	-	-	+7000	-	-
TF	APPAD	-	248	13.1	-	+5000	-	RNAV 1
TF	RENIB (IAF)	-	229	21.8	L	+3000	-	RNAV 1
TF	SUGSI (IF)	-	220	5.0	-	+2500	-	RNP APCH

**ELNAL ONE GOLF ARRIVAL (ELNAL 1G)**

PATH TERMINATOR		FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	ELNAL	-	-	-	-	+7000	-	-
TF	TULMA	-	045	10.0	-	+5000	-	RNAV 1
TF	LEGUG (IAF)	-	068	28.2	R	+3000	-	RNAV 1
TF	SUGSI (IF)	-	040	5.0	L	+2500	-	RNP APCH

**BIPIB ONE GOLF ARRIVAL (BIPIB 1G)**

PATH TERMINATOR		FLY OVER	COURSE (°M)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE (FT)	SPEED LIMIT (KT)	NAVIGATION SPECIFICATION
IF	BIPIB	-	-	-	-	+7000	-	-
TF	MEGOX	-	067	10.0	-	+5000	-	RNAV 1
TF	LEGUG (IAF)	-	086	32.2	R	+3000	-	RNAV 1
TF	SUGSI (IF)	-	040	5.0	L	+2500	-	RNP APCH

NEW TABULAR